

Sky Valley Sportman's Park

Public Meeting #1

June 29, 2014


AGENDA

1. Project Background
2. Project Process/Schedule
3. Site Information
4. Program and Design Criteria
5. Range Templates
6. Public Comments


AD Hoc Committee




- Member *Lake Bronson Association*
- Member *Lake Bronson Association*
- Member *Neighbor*
- Member *Snohomish County Sheriff*
- Member *Snohomish County Sheriff*
- Member *Snohomish County Fire District 5*
- Member *Sierra Club*
- Member *Snohomish County Sports Commission*
- Member *Handguns / Rifles*
- Member *Handguns / Rifles*
- Member *Hand Guns*
- Member *Shotguns*
- Member *Archery*
- Member *Archery*




Snohomish County Parks & Recreation
 Sky Valley Sportsman's Park
Master Plan Process and Schedule
 June 26, 2014



Sportman's Park Site





SITE CONTEXT



NEIGHBORING PROPERTY OWNERS

PROJECT SITE






-  EIS WETLAND BOUNDARY
-  232' CONTOUR
-  MUKILTEO MUCK

EXISTING 100' WETLAND BUF

- 34 Mukilteo muck
- 39 Norma loam
- 47 Pastik silt loam, 0-8% slope
- 48 Pastik silt loam, 8-25% slope
- 57 Ragnar fine sandy loam, 0-8% slope
- 59 Riverwash
- 63 Skykamish gravelly loam, 0-30% slope
- 65 Sulsavar gravelly loam, 0-8% slope
- 66 Sultan silt loam
- 73 Tokul gravelly loam, 8-15% slope
- 75 Tokul-Ogarty-Rock outcrop complex, 0-25%
- 76 Tokul-Ogarty-Rock outcrop complex, 25-64%
- 77 Tokul-Winston gravelly loam, 25-65% slope
- 80 Winston gravelly loam, 0-3% slope
- 81 Winston gravelly loam, 3-30% slope



POSSIBLE SENSITIVE AREAS

REV. DATE DESCRIPTION APPR.

PRELIMINARY PROGRAM

ARCHERY RANGE

FITA REGULATION ARCHERY RANGE

SUPPLEMENTAL

- 90 meter range
- Competition and practice range
- Covered, portable shooting area (protection from elements)
- Include a moveable structure
- Storage for targets

CRITERIA

- Accommodate FITA (World Archery Association) regulations

3D ARCHERY RANGE

SUPPLEMENTAL

- 40 acres ideal, larger than 10 acres desired
- 30 targets (Include target storage area)

CRITERIA

- Accommodate IBO ASA (Archery Shooters Association) regulations
- Northern orientation
- Varied topography

PISTOL RANGE

TWO PISTOL RANGES

SUPPLEMENTAL

- 8-10 bay range
- Paper target range
- Set targets at 25, 50, and 100 yards
- Covered or partially covered outdoor structure

CRITERIA

- Accommodate IPSC (International Practical Shooting Confederation) Events (range with doorways, windows, etc.), Cowboy Shooting, and Three Gun
- Provide separation between shooters
- Adjustable counters at shooting bays

RIFLE RANGE

RIFLE RANGE

SUPPLEMENTAL

- 400 yard range (600+ yard range ideal)
- 40 benches
- Steel gongs for targets
- Open Table changing targets
- Site-in lanes
- Clearing Station
- Cleaning Stations or Designated Cleaning Area

CRITERIA

- Baffle must withstand blast back
- Change targets without shutting down
 - Pits with downwardly adjusting targets
- Consider golf carts for ranges over 100 yards

SHOTGUN SKEET/TRAP RANGE

SHOTGUN SKEET RANGE

CRITERIA

- Towers on rails could allow skeet to occur on same range as trap

SHOTGUN TRAP RANGE

SUPPLEMENTAL

- 10 traps

CRITERIA

- Can be built in phases
- Oriented to the north
- Layout to minimize cleanup

BLACK POWDER RANGE

SUPPLEMENTAL

- 50-100 yards

CRITERIA

- Can be located on rifle sight-in range or possible shotgun range when either are not in use
- Provide adequate ventilation

HUNTER SAFETY COURSE / FACILITY

- Firearms and Bows

SUPPORT FACILITIES

PARKING

- Parking for everyday use
- Shuttle/bus drop-off/parking for large events
- 2-3 RV spaces with hookup

RESTROOM STRUCTURE

- Permanent facility
- Include space for chemical toilets for larger events

PRO SHOP

KITCHEN

- Small structure for event food service

RANGE PA SYSTEM

CARETAKER RESIDENCE

FLEXIBLE SPACES

- Plan for events (weddings, food trucks)

PRELIMINARY DESIGN CRITERIA

NEIGHBORHOOD

- Minimize sound heard by neighbors to the west
- Serve all users while having least possible impact on neighbors

ENVIRONMENTAL

- Eliminate lead contamination of wetlands / groundwater
 - Address Current lead issues on-site
 - Contain future lead

SAFETY

- Confine shooting and bullets to shooting range area
- Incorporate CPTED design standards


DESIGN

- Incorporate sustainable design strategies
- Accommodate ADA in range design
- Plan for event parking to be off-site with shuttles
- Consider phasing in sport uses, such as archery first
- Design to not shut down facility to public for competitions
- Design facilities with expansion potential for future growth
 - Consider future uses in planned facility (ie hatchet throwing on the archery range)


OPERATION

- Consider projects that could be completed by volunteers
- Archery range can be used by other groups when not in use
- Accommodate high school teams


15 Jul 14




4 50 Meter Range - Option 2
CP2
0 150' 300' 450' 1" = 150'



5 50 Meter Range - Option 1
CP2
0 150' 300' 450' 1" = 150'



2 Pistol Bays - Option 2
CP2
0 150' 300' 450' 1" = 150'



1 Pistol Bays - Option 1
CP2
0 150' 300' 450' 1" = 150'


SCHEMATIC - NOT FOR CONSTRUCTION

Sky Valley Sportsman's Park
Parks and Recreation Department
Snohomish County, Washington


kramer
ARCHITECTURE
& PLANNING
one inc.
8038 East Amlin Drive • Snohomish, WA 98296
phone 425-415-9799 • fax 425-713-3301

CP2

RANGE TEMPLATE



2 Rifle Range - Option 2
CPS 1" = 150'



1 Rifle Range - Option 1
CPS 1" = 150'

SCHEMATIC - NOT FOR CONSTRUCTION




RANGE TEMPLATE

15 Jul 14

Sky Valley Sportsman's Park
Parks and Recreation Department
Snohomish County, Washington

kramer **one**
ARCHITECTURE
& PLANNING Inc.
8038 East Main Drive • Snohomish, WA 98296
phone 425-415-9797 • fax 425-710-3300

CP3



SCHEMATIC - NOT FOR CONSTRUCTION

15 Jul 14

Sky Valley Sportsman's Park
Parks and Recreation Department
Snohomish County, Washington

kramer
ARCHITECTURE
& PLANNING
one Inc.
8039 East Aiken Drive • Snohomish, WA 98296
phone 425-415-9797 • fax 425-710-3300

CP4

RANGE TEMPLATE

PUBLIC COMMENT