


Notice of Land Disturbing Activity and SEPA Threshold Determination Mann Road and Ben Howard Road Improvements



Project Description:

Snohomish County has identified several locations susceptible to flooding at or less than a two-year recurrence interval. Two locations are on Ben Howard Road; the third is on Mann Road, south of Sultan and Hwy 2.

Site A is located at a bend in Ben Howard Road east of McCoy Creek. An existing driveway culvert will be replaced, the culvert under the road will be replaced with a 7-foot wide culvert, and the road raised by 2 feet for 400 linear feet. **Site B** is west of the intersection of Ben Howard Road and 311th Avenue SE. An existing driveway culvert will be replaced, a new 48-inch culvert will be installed under Ben Howard Road, and the road raised 4.8 feet for 600 linear feet. **Site C** is located at Devil's Elbow on Mann Road. A driveway culvert will be replaced, and the culvert under the road will be replaced with a new 17-foot concrete box culvert. Two additional 48-inch drainage culverts will be installed side by side further to the east. The road will be raised 6 feet for 700 linear feet. Guardrail will be installed. Construction is scheduled for 2021.

State Environmental Policy Act (SEPA) Decision:

On February 8, 2019, Public Works determined that this project does not have a probable, significant adverse impact on the environment and has issued a Determination of Non-Significance (DNS). An environmental impact statement (EIS) under RCW 43.21C.030(2)C is not required. This decision was made after review of SEPA documents and other information on file with this agency. These documents are available for public review upon request.

SEPA Appeal:

There is no opportunity for appeal at this time. Pursuant to SCC 30.61.300(10), SEPA appeals related to a shoreline substantial development permit shall be submitted to the state shorelines hearings board together with appeal of the underlying permit.

Project Name: Mann Road and Ben Howard Road Improvements
Project Number: RC1726
Lead Agency: Snohomish County Public Works
Date of Publication: February 24, 2019

For more information:

- Visit the Public Works Customer Service Counter, 2nd Fl. Robert J. Drewel Bldg, 3000 Rockefeller Ave, Everett, WA
- Visit: www.snohomishcountywa.gov/3759
- Call Julie Highton, Senior Planner, at 425-262-2341

This combined notice is being issued pursuant to SCC 30.70.050(2) and 30.61.110.

Comment Period:

Comments regarding this project are due on or before 5 p.m., Monday, March 18, 2019. Send comments to:

Julie Highton, Senior Planner
Snohomish County Public Works
3000 Rockefeller Ave., M/S 607
Everett, WA 98201

or email comments to: Julie.Highton@snoco.org

Title VI/ADA: Interpreter and translation services for non-English speakers and accommodations for persons with disabilities are available upon request. Call 425-262-2341. For questions regarding Public Works' Title VI Program, contact our Title VI Coordinator via email at spw-titlevi@snoco.org, or phone 425-388-6660. Hearing/speech impaired call 711.

Si los solicita, hay disponibles servicios de interpretación y traducción para personas que no hablan inglés y adaptaciones para personas con discapacidades. Llame al 425-262-2341. Si tiene preguntas sobre el Programa de Obras Públicas del Título VI, comuníquese con nuestro Coordinador del Título VI por correo electrónico a spw-titlevi@snoco.org, o por teléfono al 425-388-6660. Las personas con dificultades auditivas/del habla deben llamar al 711.

